

Q.

363.7
G82x

CENTRAL CIRCULATION AND BOOKSTACKS

The person borrowing this material is responsible for its renewal or return before the **Latest Date** stamped below. **You may be charged a minimum fee of \$75.00 for each non-returned or lost item.**

Theft, mutilation, or defacement of library materials can be causes for student disciplinary action. All materials owned by the University of Illinois Library are the property of the State of Illinois and are protected by Article 16B of Illinois Criminal Law and Procedure.

TO RENEW, CALL (217) 333-8400.

University of Illinois Library at Urbana-Champaign

FEB 2003

When renewing by phone, write new due date
below previous due date.

L162



July, 2002

363.7
G82x

ILLINOIS
DEPOSITORY



Illinois
Environmental
Protection Agency

Office of Small Business
P.O. Box 19276
Springfield, IL 62794-9276
1-888-372-1996

AUG 29 2002

UNIVERSITY OF ILLINOIS
AT URBANA-CHAMPAIGN



"Green" Cleaning for Carpet Cleaners

This fact sheet discusses environmental concerns related to the carpet cleaning industry. Information presented in this fact sheet is intended to provide a general understanding of the statutory and regulatory requirements governing the carpet cleaning industry. This information is not intended to replace, limit, or expand upon the complete statutory and regulatory requirements presented in the Illinois Environmental Protection Act and Title 35 of the Illinois Administrative Code. These requirements can be found online at www.epcb.state.il.us.



removes most particulate soil, pretreatment and conditioning loosen soil with a mild solvent cleaner, extraction rinses away the cleaning solvent, and nap setting and drying allow the remaining solvent to vaporize and dry. If these procedures are not followed, indoor air quality could pose a health concern both for the cleaner and those at the residence or business.



Why Is Discharging Wastewater from Carpet Cleaning a Concern?

Carpet cleaning creates wastewater that includes chemicals from the cleaning formula as well as waste products such as grease and organic matter from the carpet itself. Many chemicals currently used are highly alkaline and aggressive enzymes and disinfectants which if used or managed improperly can cause harm to humans and the environment. A standard cleaning formula may contain a high concentration of sodium bicarbonate and lower concentrations of sodium citrate, sodium phosphate, sodium silicate, anionic surfactant, and nonionic surfactant. Formulas can also contain dyes, polymers, enzymes, bleaches, and solvents of alcohols, esters, and glycol ethers. Some specialized cleaners also contain various forms of butyl, such as butyloxy ethanol (also known as butyl cellulolve) used in the "dry" cleaning method of carpet cleaning. This chemical can damage the central nervous system, kidneys, liver and blood.



How Does the Carpet Cleaning Industry Operate?

Depending on the location of the carpet or the type of treatment required for the carpet, two different carpet cleaning processes may be used.

- "Dry" cleaning uses a minimal amount of liquid and a blend of compounds for restorative cleaning, regular scheduled maintenance, and emergency cleanup. This process uses a homogenized blend of solvents, including a cleaning agent, rinsing agent, and neutralizing agent, heated to about 200 degrees Fahrenheit and applied to the carpet.
- Steam extraction is commonly used for restoration jobs. This truck-mounted system uses antimicrobial, urine and odor treatment chemicals. This process uses the same chemicals used in "dry" cleaning, but the rinsing agent is blended in the truck-mount, and more water is used in rinsing.

Industry standards exist for upholstery, carpet and other cleaning procedures. Carpet cleaning requires the following procedures: vacuuming, pretreatment and conditioning, extraction, nap setting, and drying. Vacuuming



What Should I Do with My Carpet Cleaning Wastewater Discharge?

Some storm drain systems discharge untreated water directly to water bodies. When untreated wastewater is discharged to a storm drain of this sort, chemicals from the cleaning formula and products in the wastewater could contaminate water bodies. The suggestions listed below for carpet cleaning can reduce the amount of pollutants discharged to water bodies through storm sewers.

- ✓ Use a portable containment system. Wastewater can be kept in a holding tank to be hauled off-site and properly disposed of. Wastewater should not be discharged onto the ground or into any surface water body.



must contact the Illinois Department of Public Health and Illinois EPA. Because regulations on carpet cleaning wastewater vary from city to city, it is wise to contact the city storm water program or department to determine exact permit requirements.

TIP

Wastewater is attributed to the facility or residence where it is generated; therefore, if the wastewater is not being collected and hauled off site for proper disposal, the carpet cleaner must obtain permission from the facility or residence owner to dispose of the water at the cleaning site.



How Can I Clean Carpets Using a More Environmentally Friendly Process?

Practical, nontoxic alternatives to standard carpet cleaning products are labeled as "green" cleaning agents. Some "green" carpet cleaning products do not contain butyl cellulose. By using environmentally safe chemicals to clean carpets, the cleaner and others at the business or residence are not exposed to toxic chemicals. The "green" cleaning agents are also safe for the cleaner to handle. It is important for the cleaners to follow the Institute of Inspection, Cleaning and Restoration Certification standards when using "green" products. These standards can be ordered online at www.iicrc.org. Also, carpets can be thoroughly cleaned using high temperatures (up to 260 degrees Fahrenheit) and mild chemical agents.



TIP

Wastewater can be filtered before discharge to a sanitary sewer. Residue on the filter can be disposed of along with your general waste when the filter is completely dry. The MWRDGC requires that particles of 0.5 inch or more in diameter be filtered out of wastewater before discharge to the sanitary sewer.

TIP

By using "green" carpet cleaning products, carpet cleaners limit their exposure to toxins and can market their environmentally responsible services.



Do I Need a Permit for my Carpet Cleaning Wastewater Discharge?


Carpet cleaning wastewater can be discharged to the sanitary sewer system with permission from the local publicly owned treatment works (POTW). Contact your local POTW to find out their requirements. We recommend you do not discharge your carpet cleaning wastewater to a septic system; however, if you plan to, you



Where Do I Get More Information?

For additional information on the carpet cleaning industry, call the Illinois EPA Office of Small Business Help Line toll-free at 1-888-EPA-1996. All calls are considered confidential, and the caller can remain anonymous. You can also visit the Illinois EPA website at www.epa.state.il.us. In Chicago, call the Department of Environment permit desk at 1-312-744-8026 for more information.

Printed by Authority of
the State of Illinois
Jun. 2002 32417 500



UNIVERSITY OF ILLINOIS-URBANA



3 0112 048198672